

F. No. J-11011/631/2010 - IA II (I)  
**Government of India**  
**Ministry of Environment and Forests**  
**(I.A. Division)**

Paryavaran Bhawan  
CGO Complex, Lodhi Road  
New Delhi – 110 003  
E-mail : [aditya.narayan@nic.in](mailto:aditya.narayan@nic.in)  
Telefax : 011: 2436 0549  
Dated 11<sup>th</sup> January, 2013

To,

Shri K. Jagadeeshwari (Managing Director).  
M/s Trimax Bio Sciences Pvt. Ltd.  
Plot No. 7, Road No. 1,  
Sri Lakshmi Srinivasa Nilayam Czech Colony,  
Sanath nagar, Hyderabad -500018, A.P.

**E-mail : [info@rightsource.co.in](mailto:info@rightsource.co.in) ; Fax : 040-40126589**

**Subject: Bulk Drugs (30.85 MTPM) Manufacturing Unit at Plot No. 27, Raichur Growth Centre Industrial Area, Village Chicksugur, District Raichur, Karnataka by M/s Trimax Bio Sciences Pvt. Ltd. - Environmental Clearance reg.**

**Ref. : Your letter no. nil dated 19<sup>th</sup> July, 2011.**

Sir,

Kindly refer your letter dated 19<sup>th</sup> July, 2011 alongwith project documents including Form I, Terms of References, Pre-feasibility Report, EIA/EMP Report and subsequent communications vide your letters dated 28<sup>th</sup> September, 2011 and 15<sup>th</sup> May, 2012 on the above mentioned subject.

2.0 The Ministry of Environment and Forests has examined the application. It is noted that the proposal is for setting up of bulk drug (30.85 MTPM) manufacturing unit at Plot No. 27, Raichur Growth Centre Industrial Area, Village Chicksugur, District Raichur, Karnataka by M/s Trimax Bio Sciences Pvt. Ltd. The total plot area is 32,956.00 m<sup>2</sup>/8.15 acres. Interstate boundary is located within 10 km. River Krishna is flowing at a distance of 7.6 Km. Total cost of the project is Rs. 9.90 Crores. Following products will be manufactured:

| S.N.         | Products              | Quantity (TPM) |
|--------------|-----------------------|----------------|
| 1            | Atorvastatin Calcium  | 1.0            |
| 2            | Fexofenadine HCl      | 1.0            |
| 3            | Lamivudine            | 2.0            |
| 4            | Lansoprazole          | 1.0            |
| 5            | Levetiracetam         | 3.0            |
| 6            | Lisinopril            | 1.50           |
| 7            | Montelukast Sodium    | 0.60           |
| 8            | Pantoprazole Sodium   | 3.00           |
| 9            | Pregabalin            | 3.00           |
| 10           | Prasugrel             | 1.0            |
| 11           | Ritonavir             | 2.0            |
| 12           | Rosuvastatin          | 1.0            |
| 13           | Sumatriptan Succinate | 1.75           |
| 14           | Valsartan             | 2.00           |
| 15           | Verapamil HCl         | 2.00           |
| 16           | Triclabendazole       | 2.00           |
| 17           | Propafenone           | 1.00           |
| 18           | Levofloxacin          | 2.00           |
| <b>Total</b> |                       | <b>30.85</b>   |

3.0 Multi-cyclone separator followed by bagfilter alongwith stacks of adequate height will be provided to coal fired boiler. Adequate scrubbing system will be provided to the process vents to control process emissions viz. HCl, SO<sub>2</sub> and NH<sub>3</sub>. Total fresh water requirement from KIDB will be 60 m<sup>3</sup>/day. Industrial wastewater will be segregated into High TDS/COD and Low TDS/COD effluent streams. High TDS/COD effluent stream will be treated through steam stripper followed by multiple effect evaporator (MEE) and agitated thin film drier (ATFD). Low TDS/COD effluent stream will be treated in effluent treatment plant (ETP) comprising primary, secondary and tertiary treatment. No effluent will be discharged outside the premises and 'Zero' effluent discharge concept will be adopted. Inorganic & evaporation salt and ETP sludge will be sent to Treatment Storage Disposal Facility (TSD) for hazardous waste. Fly ash will be sold to brick manufacturers. Waste oil and used batteries will be sold to authorized recyclers/re-processors.

4.0 Public hearing was exempted as per section 7 (i), (iii) Stage (3), Para (i)(b) of EIA Notification, 2006.

5.0 All Synthetic Organic Chemicals Industry located inside the notified industrial area/estate are listed at S.N. 5(f) under category 'B' and appraised at State level. However, applicability of general condition due to project location within interstate boundary, proposal is treated as category 'A' and appraised at Central Level.

6.0 The proposal was considered by the Expert Appraisal Committee (Industry-2) in its 22<sup>nd</sup>, 29<sup>th</sup>, 32<sup>nd</sup> and 1<sup>st</sup> meetings held during 29<sup>th</sup>– 30<sup>th</sup> April, 2011, 17<sup>th</sup>–18<sup>th</sup> November, 2011, 16<sup>th</sup> – 17<sup>th</sup> February, 2012 and 24<sup>th</sup> -25<sup>th</sup> September, 2012 respectively. The Committee recommended the proposal for environmental clearance.

7.0 Based on the information submitted by the project proponent, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of EIA Notification dated 14<sup>th</sup> September 2006, subject to the compliance of the following Specific and General Conditions:

**A. SPECIFIC CONDITIONS:**

- i) National Emission Standards for Organic Chemicals Manufacturing Industry issued by the Ministry vide G.S.R. 608(E) dated 21<sup>st</sup> July, 2010 and amended time to time shall be complied by the unit.
- ii) Multi-cyclone followed by bag filter shall be provided to the coal fired boilers to control particulate emissions within permissible limit. The gaseous emissions shall be dispersed through stack of adequate height as per CPCB/KSPCB guidelines.
- iii) Two stage chilled water/caustic scrubber shall be provided to process vents to control HCl. Two stage scrubber with caustic lye media solution shall be provided to process vents to control SO<sub>2</sub>. Two stage scrubber with chilled water media shall be provided to process vents to control NH<sub>3</sub>. The scrubbing media shall be sent to effluent treatment plant (ETP) for treatment. Efficiency of scrubber shall be monitored regularly and maintained properly. At no time, the emission levels should go beyond the prescribed standards. Scrubbers vent shall be provided with on-line detection and alarm system to indicate higher than permissible value of controlled parameters.
- iv) Ambient air quality data shall be collected as per NAAEQS standards notified by the Ministry vide G.S.R. No. 826(E) dated 16<sup>th</sup> September, 2009. The levels of PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub>, VOC, NH<sub>3</sub> and HCl shall be monitored in the ambient air and emissions from the stacks and displayed at a convenient location near the main gate of the company and at important public places. The company shall upload the results of monitored data on its website and shall update the same periodically. It shall simultaneously be sent to the Regional office of MOEF, the respective Zonal office of CPCB and the Karnataka State Pollution Control Board (KSPCB).

- v) In plant control measures for checking fugitive emissions from all the vulnerable sources shall be provided. Fugitive emissions shall be controlled by providing closed storage, closed handling & conveyance of chemicals/materials, multi cyclone separator and water sprinkling system. Dust suppression system including water sprinkling system shall be provided at loading and unloading areas to control dust emissions. Fugitive emissions in the work zone environment, product, raw materials storage area etc. shall be regularly monitored. The emissions shall conform to the limits stipulated by the KSPCB.
- vi) For further control of fugitive emissions, following steps shall be followed :
  - 1. Closed handling system shall be provided for chemicals.
  - 2. Reflux condenser shall be provided over reactor.
  - 3. System of leak detection and repair of pump/pipeline based on preventive maintenance.
  - 4. The acids shall be taken from storage tanks to reactors through closed pipeline. Storage tanks shall be vented through trap receiver and condenser operated on chilled water.
  - 5. Cathodic protection shall be provided to the underground solvent storage tanks.
- vii) The gaseous emissions from DG set shall be dispersed through adequate stack height as per CPCB standards. Acoustic enclosure shall be provided to the DG sets to mitigate the noise pollution.
- viii) Solvent management shall be carried out as follows :
  - i. Reactor shall be connected to chilled brine condenser system
  - ii. Reactor and solvent handling pump shall have mechanical seals to prevent leakages.
  - iii. The condensers shall be provided with sufficient HTA and residence time so as to achieve more than 95% recovery.
  - iv. Solvents shall be stored in a separate space specified with all safety measures.
  - v. Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done.
  - vi. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
  - vii. All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
- ix) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
- x) Total fresh water requirement from KIDB water supply shall not exceed 60 m<sup>3</sup>/day and prior permission shall be obtained for drawl of 60 m<sup>3</sup>/day from the concerned Authorities.
- xi) Trade effluent shall be segregated into High COD/TDS and Low COD/TDS effluent streams. High TDS/COD shall be passed through stripper followed by MEE and ATFD (agitated thin film drier). Low TDS effluent stream shall be treated in ETP and then passed through RO system. Condensate and recover water shall be recycled/reused within factory premises. Sewage shall be treated in biological ETP. No effluent shall be discharged outside the factory premises and 'Zero' discharge concept shall be adopted.
- xii) Hazardous chemicals shall be stored in tanks, tank farms, drums, carboys etc. Flame arresters shall be provided on tank farm. Solvent transfer shall be by pumps.
- xiii) As proposed, process organic residue and spent carbon should be sent to cement industries. ETP sludge, process inorganic & evaporation salt should be disposed off to the TSDF. The ash from boiler should be sold to brick manufacturers/cement industry.
- xiv) The company shall obtain Authorization for collection, storage and disposal of hazardous waste under the Hazardous Waste (Management, Handling and Trans-Boundary Movement) Rules, 2008 and amended as on date for management of Hazardous wastes and prior

permission from KSPCB shall be obtained for disposal of solid / hazardous waste in the TSDF. Measures shall be taken for fire fighting facilities in case of emergency.

- xv) The Company shall strictly comply with the rules and guidelines under Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989 as amended time to time. All Transportation of Hazardous Chemicals shall be as *per* the Motor Vehicle Act (MVA), 1989.
- xvi) Fly ash shall be stored separately as per CPCB guidelines so that it shall not adversely affect the air quality, becoming air borne by wind or water regime during rainy season by flowing alongwith the storm water. Direct exposure of workers to fly ash & dust shall be avoided.
- xvii) The company shall undertake following waste minimization measures :-
  - a. Metering and control of quantities of active ingredients to minimize waste.
  - b. Reuse of by-products from the process as raw materials or as raw material substitutes in other processes.
  - c. Use of automated filling to minimize spillage.
  - d. Use of Close Feed system into batch reactors.
  - e. Venting equipment through vapour recovery system.
  - f. Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- xviii) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire fighting system shall be as per the norms.
- xix) Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.
- xx) As proposed, green belt shall be developed in 1,2347.20 m<sup>2</sup> out of total land 32,956.00 m<sup>2</sup>. Selection of plant species shall be as per the CPCB guidelines.
- xxi) At least 5 % of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based locals need and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Bangalore. Implementation of such program shall be ensured accordingly in a time bound manner.
- xxii) The Company shall submit within three months their policy towards Corporate Environment Responsibility which should inter-alia address (i) Standard operating process/procedure to being into focus any infringement/deviation/ violation of environmental or forest norms/conditions, (ii) Hierarchical system or Administrative order of the Company to deal with environmental issues and ensuring compliance to the environmental clearance conditions and (iii) System of reporting of non compliance/violation environmental norms to the Board of Directors of the company and/or stakeholders or shareholders.
- xxiii) Provision shall be made for the housing for the construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile sewage treatment plant, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structure to be removed after the completion of the project. All the construction wastes shall be managed so that there is no impact on the surrounding environment.

## **B. GENERAL CONDITIONS:**

- i. The project authorities shall strictly adhere to the stipulations made by the Karnataka State Pollution Control Board.
- ii. No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.

- iii. The locations of ambient air quality monitoring stations shall be decided in consultation with the State Pollution Control Board (SPCB) and it shall be ensured that at least one station is installed in the upwind and downwind direction as well as where maximum ground level concentrations are anticipated.
- iv. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
- v. The Company shall harvest rainwater from the roof tops of the buildings and storm water drains to recharge the ground water and use the same water for the process activities of the project to conserve fresh water.
- vi. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Pre-employment and routine periodical medical examinations for all employees shall be undertaken on regular basis. Training to all employees on handling of chemicals shall be imparted.
- vii. Usage of Personnel Protection Equipments (PPEs) by all employees/ workers shall be ensured.
- viii. The company shall also comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the EIA/EMP in respect of environmental management, risk mitigation measures and public hearing relating to the project shall be implemented.
- ix. The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. CSR activities shall be undertaken by involving local villages and administration.
- x. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
- xi. A separate Environmental Management Cell equipped with full fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.
- xii. As proposed, the company shall earmark Rs. 91 Lakhs towards capital cost to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
- xiii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from who suggestions/ representations, if any, were received while processing the proposal.
- xiv. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the Karnataka State Pollution Control Board. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
- xv. The environmental statement for each financial year ending 31<sup>st</sup> March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- xvi. The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry at <http://envfor.nic.in>.

This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

- xvii. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.

8.0 The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.

9.0 The Ministry reserves the right to stipulate additional conditions, if found necessary. The company in a time bound manner will implement these conditions.

10.0 The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Water Pollution) Act, 1981, the Environment (Protection) Act, 1986 Hazardous Waste (Management, Handling and Trans-boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules.

**(A.N. Singh)**  
**Dy. Director (S)**

Copy to :-

1. The Secretary, Department of Environment & Ecology, Govt. of Karnataka, Room No. 708, Gate 2, Multi Storied Building, Dr. AmbedkarVeedhi, Bangalore - 560 001 [secyenv-fee@karnataka.gov.in](mailto:secyenv-fee@karnataka.gov.in)
2. The Chief Conservator of Forests, Regional Office (Southern Zone, Bangalore)KendriyaSadana, 4th Floor, E&F Wing, II Block Koramangala, Bangalore-560034.
3. The Chairman, Central Pollution Control Board PariveshBhavan, CBD-cum-Office Complex, East Arjun Nagar, New Delhi - 110 032.
4. The Chairman, Karnataka State Pollution Control Board, #49, ParisaraBhavana, Church Street, Bangalore-01 (Karnataka).
5. Monitoring Cell, Ministry of Environment and Forests, ParyavaranBhavan, CGO Complex, New Delhi.
6. Guard File/Monitoring File/Record File.

**(A.N. Singh)**  
**Dy. Director (S)**